

FAIL!

ID:COM

0:(COM4)

Log Options Pit

```

<OSM> Leave CS..
<OSM> Enter CS for MD5..
<OSM> Check MD5.. Do not unplug the cable..
<OSM> Please wait..
<OSM> Checking MD5 finished Successfully..
<OSM> Leave CS..
<OSM> Enter CS for MD5..
<OSM> Check MD5.. Do not unplug the cable..
<OSM> Please wait..
<OSM> Checking MD5 finished Successfully..
<OSM> Leave CS..
<OSM> All threads completed.. (succeed 0 / failed 0)
<ID:0/004> Added!!
<ID:0/004> Odin engine v(ID:3,1203)..
<ID:0/004> File analysis..
<ID:0/004> SetupConnection..
<ID:0/004> Initialization..
<ID:0/004> Get PIT for mapping..
<ID:0/004>
<ID:0/004> There is no PIT partition.
<OSM> All threads completed.. (succeed 0 / failed 1)

```

Tips: How to download HOME binary

OLD model : Download one binary " (BUILD_VER)_XXX_HOME.tar.md5"
 ex) G925FXXU3CPA5_G925FXXU3CPA5_HOME.tar.md5

NEW model : Download BL + AP + CP + HOME_CSC



BL



AP



CP



CSC

Binary Size 2668.8MB

Mass D/L ▶

Start

Reset

Exit

entpackte CSC, BL, AP, CP, PIT, HOME.tar.md5 (2.0) mit WinRAR oder 7zip entpacken und die Dateien in den Ordner Odin3\bin\放入 Odin3 文件夹中, 然后运行 Odin3 程序, 选择对应的端口, 点击 Start 按钮, 等待 Odin 提示成功即可。
 in nach Wunsch extra in Odin eingefügt werden. **Aber Achtung, dabei werden ebenfalls alle Daten gelöscht!**

Odin3samsungodin.com

FAIL!

ID:COM

0 (COM5)

Log

Options

Port

```
<OSM> Enter CS for MD5..
<OSM> Check MD5... Do not unplug the cable..
<OSM> Please wait..
<OSM> Checking MD5 finished! Successfully..
<OSM> Leave CS..
<ID:0/005> Added!!
<ID:0/005> Odin engine v(10r3,1203)..
<ID:0/005> File analysis..
<ID:0/005> skip file list for home-binary
<ID:0/005> cache.img.lz4
<ID:0/005> hidden.img.lz4
<ID:0/005> Home Binary Download
<ID:0/005> SetupConnection..
<ID:0/005> Can't open the serial(COM) port,
<OSM> All threads completed. (succeed 0 / failed 1)
```

Tips - How to download HOME binary

OLD model : Download one binary *(BUILD_VER)_XXX_HOME.tar.md5*
ex) G925FXXU3DPA5_G925FXXU3DPA5_HOME.tar.md5
NEW model : Download BL + AP + CP + HOME_CSC



BL



AP



CP



CSC

Binary Size

112.6MB

Start

Reset

Exit

FAIL!

ID:COM

0 (COM5)

Log Options Pit

```
<OSM> Enter CS for MD5...
<OSM> Check MD5.. Do not unplug the cable...
<OSM> Please wait...
<OSM> Checking MD5 finished Successfully...
<OSM> Leave CS...
<ID:0/005> Added!!
<OSM> Enter CS for MD5...
<OSM> Check MD5.. Do not unplug the cable...
<OSM> Please wait...
<OSM> Checking MD5 finished Successfully...
<OSM> Leave CS...
<OSM> Enter CS for MD5...
<OSM> Check MD5.. Do not unplug the cable...
<OSM> Please wait...
<OSM> Checking MD5 finished Successfully...
<OSM> Leave CS...
<ID:0/005> Odin engine v(ID:3.1263)..
<ID:0/005> File analysis..
<ID:0/005> SetupConnection..
<ID:0/005> Can't open the serial(COM) port.
<OSM> All threads completed. (succeed 0 / failed 1)
```

Tips - How to download HOME binary

OLD model : Download one binary "(BUILD_VER) _XXX_HOME.tar.md5"
ex) G925FXXU3DPA5_G925FXXU3DPA5_HOME.tar.md5
NEW model : Download BL + AP + CP + HOME_CSC



BL



AP



CP



CSC

HOME

Binary Size

2673.8MB

Mass DA ▶

Reset

Start

Exit

FAIL

ID:COM

0 (COM5)

Log Options Pit

```
<OSM> Check MD5.. Do not unplug the cable..
<OSM> Please wait..
<OSM> Checking MD5 finished Successfully..
<OSM> Leave CS..
<ID:0/005> Odin engine v(ID:3.1203)..
<ID:0/005> File analysis..
<ID:0/005> SetupConnection..
<ID:0/005> Can't open the serial(COM) port.
<OSM> All threads completed. (succeed 0 / failed 1)
<OSM> Enter CS for MD5..
<OSM> Check MD5.. Do not unplug the cable..
<OSM> Please wait..
<OSM> Checking MD5 finished Successfully..
<OSM> Leave CS..
<ID:0/005> Added!!
<ID:0/005> Odin engine v(ID:3.1203)..
<ID:0/005> File analysis..
<ID:0/005> SetupConnection..
<ID:0/005> Can't open the serial(COM) port.
<OSM> All threads completed. (succeed 0 / failed 1)
```

Tips - How to download HOME binary

OLD model : Download one binary *(BUILD_VER)_XXX_HOME.tar.md5*
ex) G925FXXU3DPA5_G925FXXU3DPA5_HOME.tar.md5
NEW model : Download BL + AP + CP + HOME_CSC

☒	BL	935FXXU2EREM_CL13438344_QB18291953_REV00_user_low_ship.tar.md5
☒	AP	XU2EREM_CL13438344_QB18291953_REV00_user_low_ship_meta.tar.md5
☒	CP	D6_CP9567704_CL13438344_QB17934979_REV00_user_low_ship.tar.md5
☒	CSC	935FOX2ERF1_CL13730384_QB18400312_REV00_user_low_ship.tar.md5

Binary Size 2736.4MB

Mass D/L

Reset

Start

Exit

SM-N950
MODEL: SM-N950
PRODUCT NAME: SM-N950
CURRENT SECURITY: Samsung Official
SYSTEM STATUS: Official
KAP LOCK: ON

Security: Downloaded Expired

Downloaded: 2019-10-10 10:00:00

Downloaded: 2019-10-10 10:00:00



Downloading...

Do not turn off target

